§520.1288

§520.1288 Lufenuron tablets.

- (a) Specifications—(1) Tablets containing 45, 90, 204.9, or 409.8 milligrams (mg) lufenuron for use as in paragraphs (c)(1)(i), (c)(1)(ii)(A), (c)(1)(iii), (c)(2)(i), (c)(2)(ii)(A), and (c)(2)(iii) of this section
- (2) Flavored tablets containing 45, 90, 204.9, or 409.8 milligrams (mg) lufenuron for use as in paragraphs (c)(1)(i), (c)(1)(ii)(A) or (c)(1)(ii)(B), and (c)(1)(iii) of this section.
- (3) Flavored tablets containing 90 or 204.9 mg lufenuron for use as in paragraphs (c)(2)(i), (c)(2)(ii)(A) or (c)(2)(ii)(B), and (c)(2)(iii) of this section.
- (4) Flavored tablets containing 135 or 270 mg lufenuron for use as in paragraphs (c)(2)(i), (c)(2)(ii)(A), and (c)(2)(iii) of this section.
- (b) Sponsor. See No. 058198 in \$510.600(c) of this chapter.
- (c) Conditions of use—(1) Dogs—(i) Amount. Minimum of 10 mg lufenuron per kilogram (4.5 mg per pound (lb)) of body weight, once a month.
- (ii) Indications for use—(A) For the prevention and control of flea populations.
- (B) The concurrent use of flavored lufenuron tablets described in paragraph (a)(2) of this section as in paragraph (c)(1)(ii)(A) of this section with nitenpyram tablets as in §520.1510(d)(1) of this chapter is indicated to kill adult fleas and prevent flea eggs from hatching.
- (iii) *Limitations*. For use in dogs and puppies 4 weeks of age and older.
- (2) Cats—(i) Amount. Minimum of 30 mg lufenuron per kilogram (13.6 mg/lb) of body weight, once a month.
- (ii) *Indications for use*—(A) For the control of flea populations.
- (B) The concurrent use of flavored lufenuron tablets described in paragraph (a)(3) of this section as in paragraph (c)(2)(ii)(A) of this section with nitenpyram tablets as in §520.1510(d)(2) of this chapter is indicated to kill adult fleas and prevent flea eggs from hatching.
- (iii) *Limitations*. For use in cats and kittens 4 weeks of age and older.

[68 FR 51905, Aug. 29, 2003]

§ 520.1289 Lufenuron suspension.

- (a) Specifications. Each individual dose pack contains either 135 or 270 milligrams of lufenuron.
- (b) Sponsor. See No. 058198 in §510.600(c) of this chapter.
- (c) Conditions of use in cats—(1) Amount. Minimum of 13.6 milligrams per pound of body weight (30 milligrams per kilogram). Recommended dose of 135 milligrams for up to 10 pounds of body weight or 270 milligrams for 11 to 20 pounds. Cats over 20 pounds are provided the appropriate combination of packs.
- (2) Indications for use. For control of flea populations.
- (3) Limitations. For oral use in cats 6 weeks of age or older, once a month, mixed with food. Administer in conjunction with a full meal to ensure adequate absorption. Treat all cats in the household to ensure maximum benefits. Because the drug has no affect on adult fleas, the concurrent use of insecticides that kill adults may be necessary depending on the severity of the infestation.

[60 FR 20402, Apr. 26, 1995, as amended at 62 FR 8371, Feb. 25, 1997]

§ 520.1310 Marbofloxacin tablets.

- (a) Specifications. Each tablet contains 25, 50, 100, or 200 milligrams (mg) marbofloxacin.
- (b) *Sponsor*. See No. 000069 in §510.600(c) of this chapter.
 - (c) [Reserved]
- (d) Conditions of use—(1) Amount. 1.25 mg per pound (/lb) of body weight once daily, but may be increased to 2.5 mg/lb of body weight once daily.
- (2) Indications for use. For the treatment of infections in dogs and cats associated with bacteria susceptible to marbofloxacin.
- (3) *Limitations*. Federal law restricts this drug to use by or on the order of a licensed veterinarian. Federal law prohibits the extralabel use of this drug in food-producing animals.

[64 FR 39919, July 23, 1999, as amended at 66 FR 46369, Sept. 5, 2001]

§ 520.1315 Maropitant.

(a) Specifications. Each tablet contains 16, 24, 60, or 160 milligrams (mg) maropitant as maropitant citrate.